

Amendments to the Claims

1-28. (Cancelled)

29. (Currently amended) A process for producing the sustained release preparation of claim 21 33, which comprises a step of the steps of

- (1) coating a medicament-containing solid material with a coating solution comprising obtained by dispersing a chitosan powder in a solution of a water-insoluble polymer in ethanol or water and a chitosan powder, to form a water-insoluble coating film onto the medicament-containing solid material, wherein said polymer is selected from the group consisting of ethyl cellulose, Eudragit RS; ethyl acrylate-methyl methacrylate-trimethylammoniumethyl methacrylate chloride copolymer, and Eudragit NE30D methyl methacrylate-ethyl acrylate copolymer and the weight ratio of said chitosan powder to said water-insoluble polymer is in the range of about 1:4 to about 4:1, and
- (2) removing the ethanol or water by drying the coated preparation

30. (Currently amended) The process for producing the sustained release preparation according to claim 29, which further comprises a step of coating the preparation of claim 29 with an enteric polymer, wherein the enteric polymer is selected from the group consisting of hydroxypropyl methylcellulose acetate succinate, hydroxypropyl methylcellulose phthalate and methacrylic acid-ethyl acrylate copolymer.

31-32. (Cancelled)

33. (Currently amended) A sustained release preparation comprising a medicament-containing solid material and a water-insoluble coating film, coated by a water-insoluble polymer containing a chitosan powder dispersed in said polymer, wherein said medicament-containing solid material consisting of a medicament and a pharmaceutical excipient, and said water-

insoluble coating film consisting essentially of a water-insoluble polymer and a chitosan powder dispersed in said polymer, wherein said polymer is selected from the group consisting of ethyl cellulose, Eudragit RS, ethyl acrylate-methyl methacrylate-trimethylammoniummethyl methacrylate chloride copolymer, and Eudragit NE30D, methyl methacrylate-ethyl acrylate copolymer and the weight ratio of said polymer and said chitosan powder is from 4:1 to 1:4.

34. (Currently amended) The sustained release preparation of claim 33, which is further comprises coated a coating with an enteric polymer, wherein said enteric polymer is selected from the group consisting of hydroxypropyl methylcellulose acetate succinate, hydroxypropyl methylcellulose phthalate, and methacrylic acid-ethyl acrylate copolymer.

35-36. (Cancelled)

37. (Currently amended) The sustained release preparation according to claim 33, wherein the medicament-containing solid material is selected from the group consisting of a pellet, a capsule, and a tablet.

38. (Currently amended) The sustained-release preparation according to claim 34, wherein the medicament-containing solid material is selected from the group consisting of a pellet, a capsule, and a tablet.

39-40. (Cancelled)